



SPRING LAKE SCHOOL DISTRICT
H. W. MOUNTZ SCHOOL
411 TUTTLE AVENUE, SPRING LAKE, NJ 07762

Dr. Raymond J. Boccuti
Superintendent
(732) 449-6380
Fax (732) 449-3178

Nick Mackres
Business Administrator/Board Secretary
(732) 449-2056
Fax (732) 449-4171

To: Parents, Guardians, Staff
Organizations/Persons Using School Buildings
Community Members

From: Nick Mackres, BS/SBA

RE: AHERA Management Plan Update

Date: September 9, 2016

The Asbestos-in-school Rule (AHERA) requires Local Education Agencies (LEAs) to have all buildings under their jurisdiction inspected for asbestos containing materials. Pursuant to this rule, the Spring Lake Board of Education had retained the firm of AHERA Consultants, Inc., to inspect, assess, and recommend response actions as part of the initial comprehensive Management Plan for the district.

Implementation of response actions with regard to the Management Plan is coordinated and managed by AHERA Consultants, Inc., a New Jersey licensed Asbestos Control Monitoring Firm (ASCM #030).

During the previous year, the following actions have been taken system wide regarding asbestos:

- Periodic surveillance of asbestos containing materials in the school every six (6) months, as required by regulations
- Three-year Inspection by AHERA Consultants, Inc.
 - Report states no damage, continue to monitor

Please be advised that the copies of the Management Plans and updated information for the school are on file at the Board Office, and are available for public review during normal business hours.

Respectfully,

Nick Mackres

Board Secretary/School Business Administrator